

## Scheme 2015, Assessment Run B20

Aalborg, 20<sup>th</sup> September 2015

Dear participant

Please find enclosed pairs of unstained sections according to your submitted protocols for this run. If you are in any doubt, please read the details on the website: [www.nordiqc.org](http://www.nordiqc.org), or send us an e-mail: [nordiqc@rn.dk](mailto:nordiqc@rn.dk). Also inform us if slides are missing.

Please note your three digit participant number (NQC...) shown on the address label. This number **must** be indicated on all new slide labels and used for any communication with NordiQC.

Stain the sections according to your protocols, score the HER-2 IHC slides using the electronic scoring sheet on the web site (Participation), and return for *each* marker one stained slide - marked with your participant number - to NordiQC at the above address not later than **11<sup>th</sup> October**. Keep the remaining NordiQC slides in your file to serve as a control set.

**In-house controls shall, if possible, be placed on the NordiQC slide. Batch in-house controls (separate control slides) shall not be submitted to NordiQC.**

Submitted sections are stored in the NordiQC file for future documentation and will not be returned to the laboratories. However, the laboratories can request their stained sections for review in case their control set is lost.

The results are communicated on the website about 9<sup>th</sup> December. Examples of optimal as well as insufficient stains will be illustrated (anonymously) and the corresponding methods described. Protocols giving optimal results will be published on the NordiQC website. Monographs describing the relevant epitopes and the expected staining patterns are available on the website.



Also about 9<sup>th</sup> December each laboratory will receive an e-mail with their individual assessment scores and (particularly in case of borderline or poor marks) comments to the stains and suggestions for protocol improvement.

Best regards

NordiQC

### Contents of the multitissue sections

Top row closest to the glass label.

	
<p><b>HER-2 IHC :</b> 1 - 5: Breast carcinoma</p>	<p><b>PR :</b> 1: Uterine cervix 2: Tonsil 3-6: Breast carcinoma</p>

**Before returning the stained slides to NordiQC it is mandatory that you fill out and submit the electronic scoring sheet for HER-2 IHC on the website (Participation).**